


```
-----  
Model Name:    Login  
DB Connection: default  
Model Table:   logins  
Validation:    Array  
(  
    [login_id] => VALID_NOT_EMPTY  
    [password] => VALID_NOT_EMPTY  
)  
-----
```

Look okay? (y/n)

[y] >

Creating file/Path/to/cake//app/models/login.php
Wrote /app/models/login.php

Cake test suite not installed. Do you want to bake unit test files anyway? (y/n)

[y] > n

以上でModelが自動生成されました。

次はControllerを作ります

```
-----  
Controller Bake:  
-----
```

Controller name? Remember that Cake controller names are plural.

> Login

Would you like bake to build your controller interactively?

Warning: Choosing no will overwrite Login controller if it exist. (y/n)

[y] > y

Would you like this controller to use other models besides 'Login'? (y/n)

[n] > n

Would you like this controller to use other helpers besides HtmlHelper? (y/n)

[n] > n

Would you like this controller to use any components? (y/n)

[n] >

Would you like to include some basic class methods (index(), add(), view(), edit())? (y/n)

[n] > y

```
-----  
The following controller will be created:  
-----
```

Controller Name: Login

Look okay? (y/n)

[y] > y

Cake test suite not installed. Do you want to bake unit test files anyway? (y/n)

[y] > n

最後にViewです

View Bake:

Controller Name? (plural)

> Login

Would you like bake to build your views interactively?

Warning: Choosing no will overwrite views if it exist. (y/n)

[y] > y

Would you like to create some scaffolded views (index, add, view, edit) for this controller?

NOTE: Before doing so, you'll need to create your controller and model classes (including as

[n] > y

View Scaffolding Complete.

OSX MAMP環境の場合、

'host'=>'localhost'

でもCakePHP自体は動作しますが、bake.phpを使う場合、

'host'=>'127.0.0.1:8889'

というように、ポートまで指定する必要があります。